

## Representative NCASI Projects with External Organizations

### Institutions

Aarhus University (Botkin et al. 2007)  
 American Bird Conservancy (Kroll et al. 2010)  
 Auburn University (Guyer et al. 2012; Loehle et al. 2005)  
 Australian Museum (Botkin et al. 2007)  
 Canadian Forest Service (Lucier et al. 2009)  
 Canadian Wildlife Service (Drever et al. 2012)  
 Case Western Reserve University (Botkin et al. 2007)  
 Clemson University (Flinders et al. 2009a; Hall et al. 2009a, 2009b; Leonard et al. 2012)  
 Commonwealth Scientific and Industrial Research Organisation (Botkin et al. 2007)  
 Consejo Superior de Investigaciones Científicas [Spanish National Research Council] (Botkin et al. 2007)  
 Dartmouth College (Lucier et al. 2009)  
 Duke University (Loehle and Scafetta 2011)  
 Environmental Assessment Institute (Botkin et al. 2007)  
 Environmental Resource Consulting (Flinders et al. 2014)  
 Forisk (Lang and Mendell 2012)  
 Great Lakes Protection Fund (Great Lakes Protection Fund n.d.)  
 Indiana University of Pennsylvania (Larkin et al. 2012)  
 Instituto Regional para la Biodiversidad (IRBIO) (Matamoros et al. 2009)  
 Intergovernmental Panel on Climate Change (IPCC 2007)  
 International Finance Corporation (IFC 2013)  
 International Union of Forestry Research Organizations (Lucier et al. 2009)  
 Laurentian University (Brown et al. 2007)  
 Louisiana State University (Blazier et al. 2012)  
 Maine Department of Inland Fisheries and Wildlife (Vashon et al. 2008)  
 Manomet Center for Conservation Science (Wilkerson et al. 2010)  
 Met Office Hadley Centre (Botkin et al. 2007)  
 Michigan State University (Birdsey et al. 2006; Lucier et al. 2009; Linden et al. 2012;  
     Linden and Roloff 2013)  
 Michigan Technological University (Vance et al. 2014)  
 Mississippi State University (Jones et al. 2009)  
 Montana State University (Verschuyt et al. 2008; McWethy et al. 2009)  
 Muckleshoot Indian Tribe (Cook et al. 2013)  
 Nature Conservancy (Gustafson et al. 2007; Drever et al. 2012)  
 NatureServe (Faber-Langendoen et al. 2009; Master et al. 2009)  
 New South Wales Department of Environment and Conservation (Botkin et al. 2007)  
 North Carolina State University (Albaugh et al. 2012; Tian et al. 2012)  
 Ohio State University (Bakermans and Rodewald 2009; Loehle and McCulloch 2008)  
 Oklahoma State University (Loehle et al. 2005)  
 Ontario Ministry of Natural Resources (Brown et al. 2007)  
 Oregon Department of Fish and Wildlife (Cook et al. 2013)  
 Oregon State University (Waring et al. 2006; Leibowitz et al. 2000)  
 Oxford University (Botkin et al. 2007)  
 Purdue University (Farnum et al. 2007)  
 Quileute Indian Tribe (Cook et al. 2013)  
 Rochester Institute of Technology (Loehle et al. 2005)  
 Society of American Foresters (Malmesheimer et al. 2011)

South Dakota Game, Fish and Parks (Cook et al. 2013)  
 United Nations Food and Agriculture Organization (Miner 2010)  
 University of Arizona (Botkin et al. 2007)  
 University of Arkansas (Butler and Tappe 2008)  
 University of California (Botkin et al. 2007)  
 University of Edinburgh (Botkin et al. 2007)  
 University of Florida (Griswold et al. 2006)  
 University of Georgia (Hein et al. 2009; Lane et al. 2011; Loehle and Pechmann 2000)  
 University of Idaho (Flinders et al. 2009a, 2009b; Hall et al. 2009a, 2009b)  
 University of Kentucky (Dodd et al. 2012)  
 University of Lausanne (Botkin et al. 2007)  
 University of Liverpool (Botkin et al. 2007)  
 University of Maine (Homyack et al. 2006)  
 University of Maryland Center for Environmental Science (Lucier et al. 2009)  
 University of Minnesota (Moen et al. 2008; Botkin et al. 2007)  
 University of Montana (Mitchell et al. 2008)  
 University of New Mexico (Leibowitz et al. 2000)  
 University of Saskatchewan (Hall et al. 2009a, 2009b)  
 University of Southern Mississippi (Borton et al. 2009; Flinders et al. 2014; Matamoros et al. 2009)  
 University of Tennessee (Boves et al. 2013; Mitchell et al. 2008)  
 University of Washington (Harrison et al. 2009; Devine et al. 2012; Miner and Perez-Garcia 2007)  
 US Army Corps of Engineers (Mendonça et al. 2007)  
 US Environmental Protection Agency (Leibowitz et al. 2000; USEPA 2006)  
 US Fish and Wildlife Service (Mendonça et al. 2007; Guyer et al. 2012)  
 US Geological Survey (Cook et al. 2013; Dawson et al. 2012; Dellinger et al. 2007; Mitchell et al. 2006)  
 USDA Forest Service (Birdsey et al. 2006; Callaham et al. 2013; Van Deusen et al. 2013; Heath et al.  
     2010; Upton et al. 2008; Gustafson et al. 2007; Loehle et al. 2005)  
 Virginia Tech (Eisenbies 2009, Wade et al. 2012)  
 Washington Department of Fish and Wildlife (Cook et al. 2013)  
 Washington State University (Cook et al. 2013)  
 West Virginia University (Wood et al. 2012)  
 Western Carolina University (Loehle and Pechmann 2000)  
 Western Washington University (Hall et al. 2009a, 2009b)  
 World Business Council for Sustainable Development (WBCSD 2007, 2012, 2013)  
 World Resources Institute (WRI 2004, 2008)

## Literature Cited

- Albaugh, T. J., E.D. Vance, C. Gaudreault, T.R. Fox, H.L. Allen, J.L. Stape, and R.A. Rubilar. 2012. Carbon emissions and sequestration from fertilization of pine in the southeastern United States. *Forest Science* 58(5):419-429. <http://dx.doi.org/10.5849/forsci.11-050>
- Bakermans, M.H. and A.D Rodewald. 2009. Think globally, manage locally: The importance of steady-state forest features for a declining songbird. *Forest Ecology and Management* 258: 224-232. <http://dx.doi.org/10.1016/j.foreco.2009.04.010>
- Birdsey, R., A.A. Lucier and K. Pregitzer. 2006. Forest carbon management in the United States: 1600–2100. *Journal of Environmental Quality* 35:1461-1469. <http://dx.doi.org/10.2134/jeq2005.0162>

- Blazier, M.A., T.R. Clason, E.D. Vance, Z. Leggett, and E.B. Sucre. 2012. Loblolly pine age and density affects switchgrass growth and soil carbon in an agroforestry system. *Forest Science* 58(5):485-496. <http://dx.doi.org/10.5849/forsci.11-052>
- Borton, D.L., D.L. Cook, W.K. Bradley, R. Philbeck, M. Dubé, N.J. Brown-Peterson, and W.R. Streblow. 2009. Responses of fathead minnows (*Pimephales promelas*) during life-cycle exposures to pulp mill effluents at four long-term receiving water study sites. *Integrated Environmental Assessment and Management* 5:270–282. [http://dx.doi.org/10.1897/IEAM\\_2008-059.1](http://dx.doi.org/10.1897/IEAM_2008-059.1)
- Botkin, D.B. H. Saxe, M.B. Araújo, R. Betts, R.H.W. Bradshaw, T. Cedhagen, P. Chesson, T.P. Dawson, J.R. Etterson, D.P. Faith, S. Ferrier, A. Guisan, A. Skjoldborg Hansen, D.W. Hilbert, C. Loehle, C. Margules, M. New, M.J. Sobel, and D.R.B. Stockwell. 2007. Forecasting effects of global warming on biodiversity. *Bioscience* 57:227-236. <http://dx.doi.org/10.1641/B570306>
- Boves T.J., D.A. Buehler, J. Sheehan, P.B. Wood, A.D. Rodewald, J.L. Larkin, P.D. Keyser, F.L. Newell, G.A. George, M.H. Bakermans, A. Evans, T.A. Beachy, M.E. McDermott, K.A. Perkins, M. White, and T.B. Wigley. 2013. Emulating natural disturbances for declining late-successional species: A case study of the consequences for cerulean warblers (*Setophaga cerulea*). *PLoS ONE* 8(1):e52107. <http://dx.doi.org/10.1371/journal.pone.0052107>
- Brown, G.S., L.L. Landriault, D.J.H. Sleep, and F.F. Mallory. 2007. Comment arising from a paper by Wittmer et al.: Hypothesis testing for top-down and bottom-up effects in woodland caribou population dynamics. *Oecologia* 154: 485-492. <http://dx.doi.org/10.1007/s00442-007-0855-3>
- Butler, M.J. and P.A. Tappe. 2008. Relationships of red-cockaded woodpecker reproduction and foraging habitat characteristics in Arkansas and Louisiana. *European Journal of Wildlife Research* 54:601–608. <http://dx.doi.org/10.1007/s10344-008-0184-9>
- Callaham, M.A., Jr., J.A. Stanturf, W.J. Hammond, D.L. Rockwood, E.S. Wenk, and J.J. O'Brien. 2013. Survey to evaluate escape of *Eucalyptus* spp. seedlings from plantations in southeastern USA. *International Journal of Forestry Research*. Article ID 946374. <http://dx.doi.org/10.1155/2013/946374>
- Cook, R.C., J.G. Cook, D.J. Vales, B.K. Johnson, S.M. McCorquodale, L.A. Shipley, R.A. Riggs, L.L. Irwin, S.L. Murphie, B.L. Murphie, K.A. Schoenecker, F. Geyer, P.B. Hall, R.D. Spencer, D.A. Immell, D.H. Jackson, B.L. Tiller, P.J. Miller, and L. Schmitz. 2013. Regional and seasonal patterns of nutritional condition and reproduction in elk. *Wildlife Monographs* 184(1): 1-45. <http://dx.doi.org/10.1002/wmon.1008>
- Dawson, D.K., T.B. Wigley, and P.D. Keyser. 2012. Cerulean Warbler Technical Group: Coordinating international research and conservation. *Ornitología Neotropical* 23: 275–281.
- Dellinger, R.L., P.B. Wood, P.D. Keyser, and G. Seidel. 2007. Habitat partitioning of four sympatric thrush species at three spatial scales on a managed forest in West Virginia. *The Auk* 124(4):1425-1438. [http://dx.doi.org/10.1642/0004-8038\(2007\)124\[1425:HPOFST\]2.0.CO;2](http://dx.doi.org/10.1642/0004-8038(2007)124[1425:HPOFST]2.0.CO;2)
- Devine, W.D., P.W. Footen, B.D. Strahm, R.B. Harrison, T.A. Terry, and T.B. Harrington. 2012. Nitrogen leaching following whole-tree and bole-only harvests on two contrasting Pacific Northwest sites. *Forest Ecology and Management* 267:7-17. <http://dx.doi.org/10.1016/j.foreco.2011.11.043>
- Dodd, L.E. M. J. Lacki, E.R. Britzke, D.A. Buehler, P.D. Keyser, J.L. Larkin, A.D. Rodewald, T.B. Wigley, P.B. Wood, and L.K. Rieske. 2012. Forest structure affects trophic linkages: How silvicultural disturbance impacts bats and their insect prey. *Forest Ecology and Management* 267:262–270. <http://dx.doi.org/10.1016/j.foreco.2011.12.016>

- Drever, C.R., M.C. Drever, and D.J.H. Sleep. 2012. Understanding rarity: A review of recent conceptual advances and implications for conservation of rare species. *Forestry Chronicle* 88(2): 165-175.
- Eisenbies, M.H., E.D. Vance, W.M. Aust, and J.R. Seiler. 2009. Intensive utilization of harvest residues in southern pine plantations: Quantities available and implications for nutrient budgets and sustainable site productivity. *BioEnergy Research* 2(3):90-98. <http://dx.doi.org/10.1007/s12155-009-9036-z>
- Faber-Langendoen, D., L.L. Master, J. Nichols, K. Snow, A. Tomaino, R. Bittman, G. Hammerson, B. Heidel, L. Ramsay, and B. Young. 2009. *NatureServe conservation status: Methodology for assigning ranks*. Arlington, VA: NatureServe.
- Farmum, P., A. Lucier, and R. Meilan. 2007. Ecological and population genetics research imperatives for transgenic trees. *Tree Genetics and Genomes* 3:119-133. <http://dx.doi.org/10.1007/s11295-006-0063-z>
- Flinders, C.A., G.W. Minshall, T.J. Hall, and J.H. Rodgers. 2009a. Spatial and temporal patterns of periphyton chlorophyll *a* related to pulp and paper mill discharges in four U.S. receiving streams. *Integrated Environmental Assessment and Management* 5:259–269. [http://dx.doi.org/10.1897/IEAM\\_2008-055.1](http://dx.doi.org/10.1897/IEAM_2008-055.1)
- Flinders, C.A., G.W. Minshall, R.L. Ragsdale, and T.J. Hall. 2009b. Patterns of macroinvertebrate assemblages in a long-term, watershed-scale study to address the effects of pulp and paper mill discharges in four U.S. receiving streams. *Integrated Environmental Assessment and Management* 5:248–258. [http://dx.doi.org/10.1897/IEAM\\_2008-056.1](http://dx.doi.org/10.1897/IEAM_2008-056.1)
- Flinders, C.A., W.R. Streblow, R.E. Philbeck, D.L. Cook, D.E. Campbell, N.J. Brown-Peterson, and T.S. Gross. 2014. Fathead minnow response to broad-range exposure of β-sitosterol concentrations during life-cycle testing. *Environmental Toxicology and Chemistry* 33(2):458-467. <http://dx.doi.org/10.1002/etc.2440>
- Great Lakes Protection Fund. n.d. Applying Water Stewardship Tools in the Great Lakes Basin. <http://www.glpf.org/funded-projects/applying-water-stewardship-tools-great-lakes-basin>
- Griswold, M.W., R.T. Winn, T.L. Crisman, and W.R. White. 2006. Dry Creek Long-term Watershed Study: Assessment of immediate response of aquatic macroinvertebrates to watershed level harvesting and thinning of streamside management zones. In *Proceedings of the 13th biennial southern silvicultural research conference*, ed. K.F. Connor, 392-395. General Technical Report SRS-92. Asheville, NC: U.S. Department of Agriculture, Forest Service, Southern Research Station. <http://www.srs.fs.usda.gov/pubs/23424>
- Gustafson, E.J., D.E. Lytle, R. Swaty, and C. Loehle. 2007. Simulating the cumulative effects of multiple forest management strategies on landscape measures of forest sustainability. *Landscape Ecology* 22:141–156 <http://dx.doi.org/10.1007/s10980-006-9017-y>
- Guyer, C., V.M. Johnson, and S.M. Hermann. 2012. Effects of population density on patterns of movement and behavior of gopher tortoises (*Gopherus polyphemus*). *Herpetological Monographs* 26 (1):122-134. <http://dx.doi.org/10.1655/HERPMONOGRAPHS-D-10-00004.1>
- Hall, T.J., R.P. Fisher, J.H. Rodgers, G.W. Minshall, W.G. Landis, T.G. Kovacs, B.K. Firth, M.G. Dubé, T.L. Deardorff, and D.L. Borton. 2009a. A long-term, multitrophic level study to assess pulp and paper mill effluent effects on aquatic communities in four US receiving waters: Background and status. *Integrated Environmental Assessment and Management* 5:189–198. [http://dx.doi.org/10.1897/IEAM\\_2008-053.1](http://dx.doi.org/10.1897/IEAM_2008-053.1)

- Hall, T.J., R.P. Fisher, J.H. Rodgers, G.W. Minshall, W.G. Landis, T.G. Kovacs, B.K. Firth, M.G. Dubé, C.A. Flinders, T.L. Deardorff, and D.L. Borton. 2009b. A long-term, multitrophic level study to assess pulp and paper mill effluent effects on aquatic communities in four US receiving waters: Lessons learned. *Integrated Environmental Assessment and Management* 5:283–290. [http://dx.doi.org/10.1897/IEAM\\_2008-058.1](http://dx.doi.org/10.1897/IEAM_2008-058.1)
- Harrison, R.B., T.A. Terry, C.W. Licata, B.L. Flaming, R. Meade, I.A. Guerrini, B.D. Strahm, D. Xue, M.R. Lolley, A. Sidell, G.L. Wagoner, D. Briggs, and E.C. Turnblom. 2009. Biomass and stand characteristics of a highly productive mixed Douglas-fir and western hemlock plantation in coastal Washington. *Western Journal of Applied Forestry* 24:180-186.
- Heath, L.S., V. Maltby, R. Miner, K.E. Skog, J.E. Smith, J. Unwin, and B. Upton. 2010. Greenhouse gas and carbon profile of the U.S. forest products industry value chain. *Environmental Science & Technology* 44, 3999–4005. <http://dx.doi.org/10.1021/es902723x>
- Hein, C.D., K.V. Miller, and S.B. Castleberry. 2009. Evening bat summer roost-site selection on a managed pine landscape. *Journal of Wildlife Management* 73(4):511–517. <http://dx.doi.org/10.2193/2008-211>
- Homyack, J.A., D.J. Harrison, J.A. Litvaitis, and W.B. Krohn. 2006. Quantifying densities of snowshoe hares in Maine using pellet plots. *Wildlife Society Bulletin* 34(1):74-80. [http://dx.doi.org/10.2193/0091-7648\(2006\)34\[74:QDOSHI\]2.0.CO;2](http://dx.doi.org/10.2193/0091-7648(2006)34[74:QDOSHI]2.0.CO;2)
- Ice, G.G., E. Schilling, and J. Vowell. 2010. Trends for forestry Best Management Practices implementation. *Journal of Forestry* 108(6):267-273.
- Intergovernmental Panel on Climate Change (IPCC). 2007. Industry. Chapter 7 in *Climate change 2007 - Fourth assessment report; Mitigation of climate change*. Cambridge, UK: Cambridge University Press. (Reid Miner, NCASI, contributing author.) [http://www.ipcc.ch/publications\\_and\\_data/publications\\_ipcc\\_fourth\\_assessment\\_report\\_wg3\\_report\\_mitigation\\_of\\_climate\\_change.htm](http://www.ipcc.ch/publications_and_data/publications_ipcc_fourth_assessment_report_wg3_report_mitigation_of_climate_change.htm)
- International Finance Corporation (IFC). 2013. Forest Industry Carbon Assessment Tool (FICAT), a joint project of NCASI and the International Finance Corporation of the World Bank Group. [www.FICATmodel.org](http://www.FICATmodel.org)
- Jones, P.D., B. Hanberry, and S. Demarais. 2009. Stand-level wildlife habitat features and biodiversity in southern pine forests: A review. *Journal of Forestry* 107(8):398-404.
- Kroll, A.J., J. Giovanini, J.E. Jones, and E.B. Arnett. 2012. Effects of salvage logging of beetle-killed forests on avian species and foraging guild abundance. *Journal of Wildlife Management* 76(6):1188-1196. <http://dx.doi.org/10.1002/jwmg.353>
- Kroll, A.J., E.B. Arnett, and B. Altman. 2010. Effects of salvage logging on avian nest survival in beetle-killed forests. *Forest Ecology and Management* 260:1599-1606. <http://dx.doi.org/10.1016/j.foreco.2010.08.009>
- Landis, W.G. and J.F. Thomas. 2009. Regional risk assessment as a part of the long-term receiving water study. *Integrated Environmental Assessment and Management* 5:234–247. [http://dx.doi.org/10.1897/IEAM\\_2008-062.1](http://dx.doi.org/10.1897/IEAM_2008-062.1)
- Lane, V.R., K.V. Miller, S.B. Castleberry, D.A. Miller, T.B. Wigley, G.M. Marsh, and R.L. Mihalco. 2011. Plant community responses to a gradient of site preparation intensities in pine plantations in the Coastal Plain of North Carolina. *Forest Ecology and Management* 262:370–378. <http://dx.doi.org/10.1016/j.foreco.2011.03.043>
- Lang, A.H. and B.C. Mendell. 2012. Sustainable wood procurement: What the literature tells us. *Journal of Forestry* 110(3):157-163. <http://dx.doi.org/10.5849/jof.11-001>

- Larkin, J.L., P.B. Wood, T.J. Boves, J. Sheehan, D.A. Buehler, P.D. Keyser, A.D. Rodewald, T.A. Beachy, M.H. Bakermans, A. Evans, G.A. George, M.E. McDermott, F.L. Newell, K.A. Perkins, M. White, and T.B. Wigley. 2012. Breeding season concerns and response to forest management: Can forest management produce more breeding birds? *Ornitologia Neotropical* 23:283-287.
- Leibowitz, S.G., C. Loehle, B.-L. Li, and E. M. Preston. 2000. Modeling landscape functions and effects: A network approach. *Ecological Modelling* 132:77-94. [http://dx.doi.org/10.1016/S0304-3800\(00\)00306-9](http://dx.doi.org/10.1016/S0304-3800(00)00306-9)
- Leonard, P.B., R.F. Baldwin, J.A. Homyack, and T.B. Wigley. 2012. Remote detection of small wetlands in the Atlantic coastal plain of North America: Local relief models, ground validation, and high-throughput computing. *Forest Ecology and Management* 284:107-115. <http://dx.doi.org/10.1016/j.foreco.2012.07.034>
- Linden, D.W., G.J. Roloff, and A.J. Kroll. 2012. Conserving avian richness through structure retention in managed forests of the Pacific Northwest, USA. *Forest Ecology and Management* 284:174-184. <http://dx.doi.org/10.1016/j.foreco.2012.08.002>
- Linden, D.W. and G.J. Roloff. 2013. Retrained structures and bird communities in clearcut forests of the Pacific Northwest, USA. *Forest Ecology and Management* 310:1045-1056. <http://dx.doi.org/10.1016/j.foreco.2013.08.059>
- Loehle, C. 2006. Landscape studies address PNW biodiversity goals. *Western Forester* 51(4):16-17.
- Loehle, C. and J.H. McCulloch. 2008. Correction to: A 2000-year global temperature reconstruction based on non-tree ring proxies. *Energy & Environment* 19:93-100. <http://dx.doi.org/10.1260/095830508783563109>
- Loehle, C. and J. Pechmann. 2000. Evolution: The missing ingredient in systems ecology. In *The philosophy of ecology: From science to synthesis*, ed. D.R. Keller and F.B. Golley, 304-319. Athens, GA: University of Georgia Press.
- Loehle, C. and N. Scafetta. 2011. Climate change attribution using empirical decomposition of historical time series. *Open Atmospheric Science Journal* 5:74-86. <http://dx.doi.org/10.2174/1874282301105010074>
- Loehle, C., T.B. Wigley, P.A. Shipman, S.F. Fox, S. Rutzmoser, R.E. Thill, M.A. Melchior. 2005. Herpetofaunal species richness responses to forest landscape structure in Arkansas. *Forest Ecology and Management* 209:293-308. <http://dx.doi.org/10.1016/j.foreco.2005.02.007>
- Lucier, A., M. Palmer, H. Mooney, K. Nadelhoffer, D. Ojima, and F. Chavez. 2006. *Ecosystems and climate change: Research priorities for the U.S. climate change science program*. Report on an Ecosystems Workshop, prepared for the Ecosystems Interagency Working Group. Special Series No. SS-92-06. Solomons, MD: University of Maryland Center for Environmental Science, Chesapeake Biological Laboratory. <http://www.usgcrp.gov/usgcrp/Library/ecosystems/eco-workshop-report-jun06.pdf>
- Lucier, A., M. Ayers, D. Karnosky, and I. Thompson. 2009. Forest responses and vulnerabilities to recent climate change. Chapter 2 in *Adaptation of forests and people to climate change – A global assessment report*, ed. R. Seppälä, A. Buck, and P. Katila, 29-52. World Series Vol. 22. Helsinki: International Union of Forestry Research Organizations.
- Malmshimer, R.W., J.L. Bowyer, J.S. Fried, E. Gee, R.L. Izlar, R.A. Miner, I.A. Munn, E. Oneil, and W.C. Stewart. 2011. Managing forests because carbon matters: Integrating energy, products, and land management policy. *Journal of Forestry* 109(7S):S7-S50

- Master, L.L., D. Faber-Langendoen, R. Bittman, G.A. Hammerson, B. Heidel, L. Ramsay, and A. Tomaino. 2009. *NatureServe conservation status assessments: Factors for assessing extinction risks*. Arlington, VA: NatureServe.
- Matamoros, W., J. Schaefer, P. Mickle, W. Arthurs, J. Ikoma, and R. Ragsdale. 2009. First record of *Agonostomus monticola* (Family: Mugilidae) in Mississippi freshwaters with notes of its distribution in the southern USA. *Southeastern Naturalist* 8:175–178.  
<http://dx.doi.org/10.1656/058.008.0116>
- McWethy, D.B., A.J. Hansen, and J.P. Verschyl. 2009. Edge effects for songbirds vary with forest productivity. *Forest Ecology and Management* 257:665–678.  
<http://dx.doi.org/10.1016/j.foreco.2008.09.046>
- Mendonça, M., R. Beauman, and H. Balbach. 2007. *Burrow collapse as a potential stressor on the gopher tortoise* (*Gopherus polyphemus*). Publication ERDC/CERL TR-07-33. Prepared for the U.S. Army Corps of Engineers, Engineer Research and Development Center, Construction Engineering Research Laboratory.
- Miner, R. 2010. *The effects of the global forest products industry on atmospheric greenhouse gases*. FAO Forestry Paper 159. Rome: United Nations Food and Agriculture Organization (FAO).  
[www.fao.org/docrep/012/i1580e/i1580e00.pdf](http://www.fao.org/docrep/012/i1580e/i1580e00.pdf)
- Miner, R. and J. Perez-Garcia. 2007. The greenhouse gas and carbon footprint of the global forest products industry. *Forest Products Journal* 57(10):80-90.
- Mitchell, M.S., M.J. Reynolds-Hogland, M.L. Smith, P.B. Wood, J.A. Beebe, P.D. Keyser, C. Loehle, C.J. Reynolds, P. Van Deusen, and D. White. 2008. Projected long-term response of Southeastern birds to forest management. *Forest Ecology and Management* 256:1884-1896.  
<http://dx.doi.org/10.1016/j.foreco.2008.07.012>
- Mitchell, M.S., S.H. Rutzmoser, T.B. Wigley, C. Loehle, J.A. Gerwin, P.D. Keyser, R.A. Lancia, R.W. Perry, C.J. Reynolds, R.E. Thill, R. Weih, D. White, Jr., and P.B. Wood. 2006. Relationships between avian richness and landscape structure at multiple scales using multiple landscapes. *Forest Ecology and Management* 221:155–169.  
<http://dx.doi.org/10.1016/j.foreco.2005.09.023>
- Moen, R., C.L. Burdett, and G.J. Niemi. 2008. Movement and habitat use of Canada lynx during denning in Minnesota. *Journal of Wildlife Management* 72(7):1507-1513.  
<http://dx.doi.org/10.2193/2008-072>
- Tian, S., M.A. Youssef, R.W. Skaggs, D.M. Amatya, and G.M. Chescheir. 2012. DRAINMOD-FOREST: Integrated modeling of hydrology, soil carbon and nitrogen dynamics, and plant growth for drained forests. *Journal of Environmental Quality* 41(3):764-782.  
<http://dx.doi.org/10.2134/jeq2011.0388>
- Upton, B., R. Miner, M. Spinney, and L.S. Heath. 2008. The greenhouse gas and energy impacts of using wood instead of alternatives in residential construction in the United States. *Biomass and Bioenergy* 32:1-10. <http://dx.doi.org/10.1016/j.biombioe.2007.07.001>
- US Environmental Protection Agency (USEPA) 2006. *Final report: Pulp, paper, and paperboard detailed study*. EPA-821-R-06-016. Washington, DC: US Environmental Protection Agency, Engineering and Analysis Division, Office of Water.  
[http://water.epa.gov/scitech/wastetech/guide/304m/upload/2006\\_12\\_27\\_guide\\_304m\\_2006\\_pulp-final.pdf](http://water.epa.gov/scitech/wastetech/guide/304m/upload/2006_12_27_guide_304m_2006_pulp-final.pdf)

- Van Deusen, P.C. and F.A. Roesch. 2009. Estimating forest conversion rates with annual forest inventory data. *Canadian Journal of Forest Research* 39(10):1993-1996. <http://dx.doi.org/10.1139/X09-075>
- Van Deusen, P.C., F.A. Roesch, and T.B. Wigley. 2013. Estimating forestland area change from inventory data. *Journal of Forestry* 111(2):126-131. <http://dx.doi.org/10.5849/jof.12-102>
- Vance, E.D., W.M. Aust, R.E. Froese, R.B. Harrison, L.A. Morris, and B.D. Strahm. 2014. Biomass harvesting and soil productivity: Is the science meeting our policy needs? *Soil Science Society of America Journal*. Accepted paper, posted 01/17/2014.
- Vashon, J.H. , A.L. Meehan, W.J. Jakubas, J.F. Organ, A.D. Vashon, C.R. McLaughlin, G.J. Matula, Jr., and S.M. Crowley. 2008. Spatial ecology of a Canada lynx population in northern Maine. *Journal of Wildlife Management* 72(7):1479-1487. <http://dx.doi.org/10.2193/2007-462>
- Verschuyl, J.P., A.J. Hansen, D.B. McWethy, R. Sallabanks, and R.L. Hutto. 2008. Is the effect of forest structure on bird diversity modified by forest productivity? *Ecological Applications* 18(5):1155-1170. <http://dx.doi.org/10.1890/07-0839.1>
- Wade, C.R., M.C. Bolding, W.M. Aust, and W.A. Lakel, III. 2012. Comparison of five erosion control techniques for bladed skid trails in Virginia. *Southern Journal of Applied Forestry* 36(4):191-197. <http://dx.doi.org/10.5849/sjaf.11-014>
- Waring, R.H., K.S. Milner, W.M. Jolly, L. Phillips, and D. McWethy. 2006. Assessment of site index and forest growth capacity across the Pacific and Inland Northwest U.S.A. with a MODIS satellite-derived vegetation index. *Forest Ecology and Management* 228:285–291. <http://dx.doi.org/10.1016/j.foreco.2006.03.019>
- Wilkerson, E., J.M. Hagan, and A.A. Whitman. 2010. The effectiveness of different buffer widths for protecting water quality and macroinvertebrate and periphyton assemblages of headwater streams in Maine, USA. *Canadian Journal of Fisheries and Aquatic Sciences* 67(1):177-190. <http://dx.doi.org/10.1139/F09-162>
- Wood, P.B., J. Sheehan, P. Keyser, D. Buehler, J. Larkin, A. Rodewald, S. Stoleson, T.B. Wigley, J. Mizel, T. Boves, G. George, M. Bakermans, T. Beachy, A. Evans, M. McDermott, F. Newell, K. Perkins, and M. White. 2013. *Management guidelines for enhancing Cerulean Warbler breeding habitat in Appalachian hardwood forests*. The Plains, VA: American Bird Conservancy. <http://applcc.org/resources/cerulean-warbler-management-guidelines-for-appalachian-hardwood-forests/view>
- World Business Council for Sustainable Development (WBCSD) 2011. *The sustainable forest products industry: Carbon and climate change*. Geneva: World Business Council for Sustainable Development. <http://www.wbcsd.org/Pages/EDocument/EDocumentDetails.aspx?ID=13586&NoSearchContextKey=true>. Technical content written by NCASI.
- World Business Council for Sustainable Development (WBCSD) 2012. *Facts & trends: Forests, forest products, carbon and energy*. Geneva: World Business Council for Sustainable Development. <http://www.wbcsd.org/Pages/EDocument/EDocumentDetails.aspx?ID=14964>. Technical content written by NCASI.
- World Business Council for Sustainable Development (WBCSD) 2013. *Issue brief: Biomass carbon neutrality*. Geneva: World Business Council for Sustainable Development. <http://www.wbcsd.org/Pages/EDocument/EDocumentDetails.aspx?ID=15347&NoSearchContextKey=true>. Technical content written by NCASI.

World Resources Institute (WRI) 2004. *Corporate accounting and reporting standard*. Revised edition. <http://www.ghgprotocol.org/files/ghgp/public/ghg-protocol-revised.pdf>. NCASI member of Revision Working Group.

World Resources Institute (WRI) 2008. GHG Protocol Corporate Standard tools for pulp and paper mill emissions. <http://www.ghgprotocol.org/calculation-tools/all-tools>. Developed by NCASI.